

Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

SECTION 1. IDENTIFICATION

Product name Acetic acid

Number 000000020238

Product Use Description Laboratory chemicals, Industrial use

Manufacturer or supplier's

details

Honeywell International Inc.

115 Tabor Road

Morris Plains, NJ 07950-2546

For more information call 1-800-368-0050

+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

(24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Form : liquid

Color : colourless

Odor : stinging

Classification of the substance or mixture

or mixture

Classification of the substance : Flammable liquids, Category 3 Skin corrosion, Category 1A

Serious eye damage, Category 1

GHS Label elements, including precautionary statements

Page 1 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Symbol(s)





Signal word : Danger

Hazard statements : Flammable liquid and vapour.

Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**

Keep away from heat/ sparks/ open flames/ hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ ventilating/ lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/ doctor.

Wash contaminated clothing before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C2H4O2

Chemical nature : Substance

Chemical name		CAS-No.	Concentration
Acetic acid		64-19-7	100.00 %

SECTION 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If breathing is irregular or stopped,

administer artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is

present. Call a physician immediately.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician

immediately.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Call a physician immediately.

Notes to physician

Most important

: No information available.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and

: Treat symptomatically.

special treatment needed, if

necessary

Page 3 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Dry chemical

Alcohol-resistant foam

Water mist

Cool closed containers exposed to fire with water spray.

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

firefighting

: Flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2)

Special protective equipment

for firefighters

: In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. In the event of fire, cool tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Wear personal protective equipment.

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Remove all sources of ignition. Ensure adequate ventilation.

Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided.

Page 4 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Do not flush into surface water or sanitary sewer system. Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Methods and materials for containment and cleaning

Ventilate the area.

No sparking tools should be used. Use explosion-proof equipment.

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations

(see section 13).

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Wear personal protective equipment.

Use only in well-ventilated areas. Keep container tightly closed.

Do not smoke. Do not swallow.

Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

Advice on protection against :

fire and explosion

Keep away from fire, sparks and heated surfaces.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Use explosion-proof equipment.

Keep product and empty container away from heat and sources

of ignition.

No sparking tools should be used.

Storage

Conditions for safe storage,

including any incompatibilities

Store in area designed for storage of flammable liquids. Protect

from physical damage.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Keep away from heat and sources of ignition.

Keep away from direct sunlight.

Page 5 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Store away from incompatible substances.

Container hazardous when empty.

Do not pressurize, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Do not breathe vapours or spray mist. Avoid contact with skin and eyes.

Engineering measures : Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during

and after use.

Eye protection : Goggles or face shield, giving complete protection to eyes

Hand protection : Rubber gloves

Neoprene gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Acid-resistant protective clothing

Rubber or plastic apron Rubber or plastic boots

Respiratory protection : When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators. For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Use NIOSH approved respiratory protection.

Hygiene measures : Remove and wash contaminated clothing before re-use.

Keep working clothes separately.

Wash hands before breaks and immediately after handling the

product.

When using, do not eat, drink or smoke. Do not get in eyes, on skin, or on clothing.

Exposure Guidelines

Components	CAS-No.	Value	Control	Upda	Basis
			parameters	te	



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Acetic acid	64-19-7	PEL: Permissi ble exposure limit	25 mg/m3 (10 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Acetic acid	64-19-7	STEL : Short term exposure limit	37 mg/m3 (15 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Acetic acid	64-19-7	TWA : Time weighted average	(10 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Acetic acid	64-19-7	TWA : Time weighted average	25 mg/m3 (10 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Acetic acid	64-19-7	REL: Recomm ended exposure limit (REL):	25 mg/m3 (10 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Acetic acid	64-19-7	STEL: Short term exposure limit	(15 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Page 7 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Color : colourless

Odor : stinging

Odor threshold : Note: No data available

pH : Note: acidic

Melting point/ range : 16 °C

Boiling point/boiling range : 118 °C at 1,013 hPa

Flash point : 104 °F (40 °C)

Method: DIN 51755

Evaporation rate : Note: No data available

Flammability : Not applicable

Lower explosion limit : 4 %(V)

Upper explosion limit : 17 %(V)

Vapor pressure : 16 hPa

at 20 °C(68 °F)

74 hPa

at 50 °C(122 °F)

Vapor density : Note: No data available

Density : ca. 1.05 g/cm3 at 20 °C

Water solubility : Note: completely miscible

Page 8 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Partition coefficient:

n-octanol/water

: log Pow: -0.17

Ignition temperature : 485 °C

Viscosity, dynamic : ca. 1.22 mPa.s at 20 °C

Viscosity, kinematic : Note: not determined

Molecular weight : 60.05 g/mol

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur. Gives off hydrogen by reaction with metals.

Conditions to avoid : Heat, flames and sparks.

Keep away from direct sunlight.

Incompatible materials : Strong bases

Metals Amines Cyanides Sulphides Nitric acid

Hydrogen peroxide, aqueous solution

Alkaline carbonates

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocarbons

(smoke).



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

Acetic acid : LD50: 3,310 mg/kg

Species: Rat

Acute inhalation toxicity

Acetic acid : LC50: > 40 mg/l, vapour

Exposure time: 4 h Species: Rat

Acute dermal toxicity : Note: No data available

Skin irritation

Acetic acid : Species: Rabbit

Result: Causes burns. Classification: Corrosive

Eye irritation

Acetic acid : Species: Rabbit

Result: Risk of serious damage to eyes.

Classification: Corrosive

Genotoxicity in vitro : Cell type: Chinese Hamster Ovary Cells

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 473

Test Method: Ames test

Cell type: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 471

Genotoxicity in vivo : Test Method: Chromosome aberration test

Species: Rat

Page 10 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Method: Mutagenicity (micronucleus test)

Result: negative

Carcinogenicity : Species: not specified

Note: Not classified due to data which are conclusive although

insufficient for classification.

Reproductive toxicity : Test Method: Pre-/postnatal development

> Species: Mouse Application Route: Oral

Result: No significant adverse effects were reported

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

: LC50: > 1,000 mg/l Toxicity to fish

Exposure time: 96 h

Species: Oncorhynchus mykiss (rainbow trout) Test substance: REACH dossier "read-across"

Method: OECD Test Guideline 203

Toxicity to daphnia and other : static test

aquatic invertebrates

LC50: > 1,000 mg/l

Exposure time: 48 h

Species: Daphnia (water flea)

Test substance: REACH dossier "read-across"

Method: OECD Test Guideline 202

Toxicity to algae : static test

> EC50: > 1,000 mg/lExposure time: 72 h

Species: Skeletonema costatum (marine diatom) Test substance: REACH dossier "read-across"

Elimination information (persistence and degradability)



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Bioaccumulation : Note: Bioaccumulation is unlikely.

Further information on ecology

Ecotoxicology Assessment

Results of PBT assessment

Substance is not persistent, bioaccumulative, and toxic (PBT)., Substance is not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 2789

Proper shipping name : Acetic acid, glacial

Class 8
Packing group II
Hazard Labels 8 (3)

IATA UN/ID No. : UN 2789

Description of the goods : Acetic acid, glacial

Class : 8
Packaging group : II
Hazard Labels : 8 (3)
Packing instruction (cargo : 855

aircraft)

Packing instruction : 851

(passenger aircraft)

Packing instruction : Y840

(passenger aircraft)

IMDG UN/ID No. : UN 2789

Description of the goods : Acetic acid, glacial

Class : 8
Packaging group : II
Hazard Labels : 8 (3)
EmS Number : F-E, S-C

Page 12 / 15



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

> Marine pollutant : no

IMDG Code segregation group (SGG1) - ACIDS,

: On TSCA Inventory

SECTION 15. REGULATORY INFORMATION

Inventories

USA. List of Active Substances on the Toxic Substances Control Act (TSCA) Chemical

Substances Inventory, as

amended

Australia. Inventory of Industrial Chemicals (AIIC),

as amended

Canada, Domestic Substances List (DSL), as

amended

: On the inventory, or in compliance with the inventory

: All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines, Inventory of Chemicals and Chemical Substances (PICCS)

: On the inventory, or in compliance with the inventory

China. Inventory of Existing **Chemical Substances**

(IECSC)

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Taiwan Chemical

Substance Inventory (TCSI)

: On the inventory, or in compliance with the inventory



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

National regulatory information

SARA 302 Components : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 Components : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : Fire Hazard

Acute Health Hazard

CERCLA Reportable

Quantity

: 5000 lbs

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK : Acetic acid 64-19-7

New Jersey RTK : Acetic acid 64-19-7

Pennsylvania RTK : Acetic acid 64-19-7

SECTION 16. OTHER INFORMATION

 HMIS III
 NFPA

 Health hazard
 : 3
 3

 Flammability
 : 2
 2

 Physical Hazard
 : 0
 0

 Instability
 : 0
 0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.



Acetic acid

695092-500ML

Version 1.3 Revision Date 08/19/2024 Print Date 11/19/2024

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 09/18/2019

Prepared by Honeywell Energy and Sustainabilty Solutions Product Stewardship Group Product

Stewardship Group